


MODEL NUMBER	NOMINAL SIZE (INCHES) WXHXD	NOMINAL SIZE (INCHES) WXHXD	RATED AIR FLOW (CFM)	INITIAL RESISTANCE (IN. W.G.)	MEDIA AREA (SQUARE FEET)	MERV
LG4-604-NH	24X24X4	23-3/8X23-3/8X3-3/4	2000	0.19	49	11
LG4-612-NH	20X25X4*	19-3/8X24-3/8X3-3/4*	1750	0.19	42	11
LG4-615-NH	20X24X4	19-3/8X23-3/8X3-3/4	1650	0.19	40	11
LG4-613-NH	20X20X4	19-3/8X19-3/8X3-3/4	1400	0.19	33	11
LG4-610-NH	16X25X4*	15-3/8X24-3/8X3-3/4*	1400	0.19	33	11
LG4-609-NH	16X20X4	15-3/8X19-3/8X3-3/4	1100	0.19	27	11
LG4-603-NH	12X24X4	11-3/8X23-3/8X3-3/4	1000	0.19	23	11

* Reverse Pleat Direction



STANDARD CONSTRUCTION

- 100% Synthetic Media
- E-Pleat Technology Pleat Pack
Embossed Media with Adhesive Bead Separators
- High-Impact Plastic Frame Panels
- Foamed Hot Melt Sealant
- Gasket Optional

NOTES

- Testing per ASHRAE Standard 52.2-2012
Tested at 492 FPM on 24x24 Face Size
- Final Resistance: 1.5" W.G.
- Rated Velocity - 500 FPM
- Maximum Operating Temperature: 170 deg. F (76 deg. C)
- Classified per UL Standard 900 for Flammability
- Special Sizes Not Available



100 River Ridge Circle
Jeffersonville, IN 47130
P: 866-247-4827
F: 866-801-1809
www.clair.com/airguard

CONTACT FACTORY TO
VERIFY REVISION LEVEL

**TOLERANCES
UNLESS OTHERWISE SPECIFIED**

FRACTIONAL —
DECIMAL —
ANGLES —

ALL DIMENSIONS IN INCHES

DRAWING NAME

LEGACY 4" BOX

APPROVED BY

K. Quinn

SPECIFICATION NO.

MKT-B-00527

PAGE 1 OF 1

SCALE

NONE

DWG. SIZE

A

REVISION

G

REVISION DATE

09-24-15

CONFIDENTIAL - DO NOT COPY. THIS MATERIAL IS TRADE SECRET AND PROPRIETARY BEING EXCLUSIVELY OWNED BY CLC AIR. THE EXPRESSION OF THE INFORMATION CONTAINED HEREIN IS PROTECTED UNDER FEDERAL COPYRIGHT LAWS AND ALL COPYING IS PROHIBITED AND MAY BE SUBJECT TO CRIMINAL PENALTIES.