



SPECIAL SIZE DESCRIPTION

PWG SP1-SNG 12.5X12.5X1



STANDARD CONSTRUCTION

1. White Electrostatic Synthetic Media
2. Expanded Metal Pleat Supports
3. Moisture Resistant Beverage Board Frame

NOTES

1. MERV 11 per ASHRAE Standard 52.2-2012
2. Final Resistance: 1.0" W.G.
3. Rated Velocity, 1" Depth 300 FPM
4. Rated Velocity, 2" & 4" Depth 500 FPM
4. Classified Per UL Standard 900 for Flammability
5. Maximum Operating Temperature: 200 deg. F
6. All Special Sizes are Exact
7. Filters Built to Nearest 1/8"

THE MAXIMUM SIZE OF A SINGLE FILTER IS 30" WIDE X 28" HIGH. ANY FILTER EXCEEDING EITHER OF THESE DIMENSIONS WILL BE MADE AS AN OVERSIZE FILTER PER THE FOLLOWING CHART.

H E I G H T	6" - 28"	WIDTH		
		5" - 30"	>30" - 60"	>60" - 90"
	>28" - 30"	SINGLE	DOUBLE	TRIPLE
		WIDTH		
	5" - 28"	N/A	N/A	
	>28" - 30"	DOUBLE	N/A	N/A



100 River Ridge Circle
Jeffersonville, IN 47130
P: 866-247-4827
F: 502-961-0930
www.airguard.com

**CONTACT FACTORY TO
VERIFY REVISION LEVEL**

TOLERANCES
UNLESS OTHERWISE SPECIFIED

FRACTIONAL -
DECIMAL -
ANGLES -

ALL DIMENSIONS IN INCHES

DRAWING NAME: **POWERGUARD SPECIAL SIZE**

APPROVED BY: <i>K. Quinn</i>	SPECIFICATION NO.: MKT-B-00644	PAGE: 1 OF 1
SCALE: NONE	DWG. SIZE: A	REVISION: NEW
		REVISION DATE: 08-11-14

CONFIDENTIAL - DO NOT COPY. THIS MATERIAL IS TRADE SECRET AND PROPRIETARY BEING EXCLUSIVELY OWNED BY CLC AIR. THE EXPRESSION OF THE INFORMATION CONTAINED HEREIN IS PROTECTED UNDER FEDERAL COPYRIGHT LAWS AND ALL COPYING IS PROHIBITED AND MAY BE SUBJECT TO CRIMINAL PENALTIES.